

U-TRÄGER UNP S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10279
 Längen auf Anfrage
 Werkzeugezeugnis 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80	8,90	2.074	1.814	1.490	1.296
100	10,90	2.074	1.814	1.490	1.296
120	13,70	2.074	1.814	1.490	1.296
140	16,40	1.993	1.744	1.432	1.246
160	19,30	1.993	1.744	1.432	1.246
180	22,50	1.993	1.744	1.432	1.246
200	26,00	1.993	1.744	1.432	1.246
220	30,00	1.993	1.744	1.432	1.246
240	34,00	2.031	1.777	1.460	1.270
260	39,00	2.031	1.777	1.460	1.270
280	43,00	2.031	1.777	1.460	1.270
300	48,00	2.031	1.777	1.460	1.270
320	61,00	2.295	2.009	1.650	1.435
350	62,00	2.971	2.600	2.136	1.857
380*	65,00	2.971	2.600	2.136	1.857
400	74,00	2.971	2.600	2.136	1.857

U-TRÄGER UNP S355J0 / S355J2G3

Qualität: S355J0 / S355J2G3 - EN 10025
 Toleranz nach EN 10279
 Längen auf Anfrage
 APZ nach EN 10204 3.1b bzw. 3.1 auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80	8,90	2.342	2.050	1.684	1.464
100*	10,90	2.342	2.050	1.684	1.464
120*	13,70	2.342	2.050	1.684	1.464
140*	16,40	2.262	1.979	1.626	1.414
160*	19,30	2.262	1.979	1.626	1.414
180*	22,50	2.262	1.979	1.626	1.414
200*	26,00	2.262	1.979	1.626	1.414
220*	30,00	2.262	1.979	1.626	1.414
240*	34,00	2.300	2.013	1.653	1.438
260*	39,00	2.300	2.013	1.653	1.438
280*	43,00	2.300	2.013	1.653	1.438
300*	48,00	2.300	2.013	1.653	1.438
320*	61,00	2.599	2.274	1.868	1.624
350*	62,00	3.307	2.894	2.377	2.067
380*	65,00	3.307	2.894	2.377	2.067
400*	74,00	3.307	2.894	2.377	2.067

U-TRÄGER UPE S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10279
 Längen auf Anfrage
 Werkzeugezeugnis 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80	8,90	2.281	2.086	1.714	1.490
100	10,90	2.281	2.086	1.714	1.490
120	13,70	2.281	2.086	1.714	1.490
140	16,40	2.192	2.006	1.647	1.433
160	19,30	2.192	2.006	1.647	1.433
180	22,50	2.192	2.006	1.647	1.433
200	26,00	2.192	2.006	1.647	1.433
220	30,00	2.192	2.006	1.647	1.433
240	34,00	2.234	2.044	1.679	1.461
260	39,00	2.234	2.044	1.679	1.461
280	43,00	2.234	2.044	1.679	1.461
300	48,00	2.234	2.044	1.679	1.461
320	61,00	2.525	2.310	1.898	1.650
350	62,00	3.268	2.990	2.456	2.136
380*	65,00	2.300	2.990	2.456	2.136
400	74,00	3.268	2.990	2.456	2.136

SCHMALE I-TRÄGER INP S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10024
 Längen auf Anfrage
 Werkzeugezeugnis 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80*	6,10	2.074	1.814	1.490	1.296
100*	8,50	2.074	1.814	1.490	1.296
120*	11,50	2.074	1.814	1.490	1.296
140*	14,70	2.253	1.971	1.619	1.408
160*	18,50	2.325	2.034	1.671	1.453
180*	22,50	2.192	1.918	1.575	1.370
200*	27,00	2.192	1.918	1.575	1.370
220*	32,00	2.192	1.918	1.575	1.370
240*	37,00	2.359	2.063	1.695	1.474
260*	43,00	2.359	2.063	1.695	1.474
280*	49,00	2.359	2.063	1.695	1.474
300*	56,00	2.359	2.063	1.695	1.474
320*	63,00	2.455	2.147	1.764	1.534
340*	70,00	2.455	2.147	1.764	1.534
360*	78,00	2.455	2.147	1.764	1.534
380*	86,00	2.455	2.147	1.764	1.534
400*	95,00	2.455	2.147	1.764	1.534
450	118,00	2.373	2.076	1.705	1.483

MITTELBREITE I-TRÄGER IPE S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10034
 Längen auf Anfrage
 Werkzeugezeugnis 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80	6,20	2.074	1.814	1.490	1.296
100	8,30	2.074	1.814	1.490	1.296
120	10,70	2.074	1.814	1.490	1.296
140	13,20	2.074	1.814	1.490	1.296
160	16,20	2.012	1.761	1.446	1.258
180	19,30	2.012	1.761	1.446	1.258
200	23,00	2.012	1.761	1.446	1.258
220	26,90	2.012	1.761	1.446	1.258
240	31,50	2.051	1.794	1.474	1.282
270	37,00	2.051	1.794	1.474	1.282
300	43,30	2.051	1.794	1.474	1.282
330	50,40	2.108	1.845	1.515	1.318
360	58,60	2.108	1.845	1.515	1.318
400	68,00	2.108	1.845	1.515	1.318
450	80,00	2.360	2.065	1.696	1.475
500	93,00	2.360	2.065	1.696	1.475
550*	109,00	2.899	2.537	2.084	1.812
600*	125,00	2.899	2.537	2.084	1.812

MITTELBREITE I-TRÄGER IPE S355J0 / S355J2G3

Qualität: S355J0 - EN 10025
 Toleranz nach EN 10034
 Längen auf Anfrage
 APZ nach EN 10204 3.1b bzw. 3.1 auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
80*	6,20	2.342	2.050	1.684	1.464
100*	8,30	2.342	2.050	1.684	1.464
120*	10,70	2.342	2.050	1.684	1.464
140*	13,20	2.342	2.050	1.684	1.464
160*	16,20	2.281	1.996	1.639	1.426
180*	19,30	2.281	1.996	1.639	1.426
200*	23,00	2.281	1.996	1.639	1.426
220*	26,90	2.281	1.996	1.639	1.426
240*	31,50	2.319	2.029	1.667	1.450
270*	37,00	2.319	2.029	1.667	1.450
300*	43,30	2.319	2.029	1.667	1.450
330*	50,40	2.377	2.080	1.708	1.486
360*	58,60	2.377	2.080	1.708	1.486
400*	68,00	2.377	2.080	1.708	1.486
450*	80,00	2.650	2.319	1.905	1.656
500*	93,00	2.650	2.319	1.905	1.656
550*	109,00	3.235	2.831	2.325	2.022
600*	125,00	3.235	2.831	2.325	2.022

* Zukaufmaterial. Preise excl. 20% MwSt.

BREITFLANSCHTRÄGER HEA (IPBL) S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10034
 Längen auf Anfrage
 Werkzeugeinsatz 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
100	17,10	2.058	1.801	1.479	1.286
120	20,40	2.058	1.801	1.479	1.286
140	25,30	2.058	1.801	1.479	1.286
160	31,20	2.058	1.801	1.479	1.286
180	36,40	2.058	1.801	1.479	1.286
200	43,00	2.108	1.845	1.515	1.318
220	52,00	2.108	1.845	1.515	1.318
240	62,00	2.166	1.895	1.557	1.354
260	70,00	2.166	1.895	1.557	1.354
280	78,00	2.166	1.895	1.557	1.354
300	90,00	2.166	1.895	1.557	1.354
320	100,00	2.166	1.895	1.557	1.354
340	108,00	2.300	2.013	1.653	1.438
360	115,00	2.300	2.013	1.653	1.438
400	128,00	2.300	2.013	1.653	1.438
450	143,00	2.546	2.228	1.830	1.591
500*	159,00	2.546	2.228	1.830	1.591
550*	170,00	2.546	2.228	1.830	1.591
600*	182,00	2.546	2.228	1.830	1.591
650*	195,00	3.402	2.977	2.445	2.126
700*	209,00	3.402	2.977	2.445	2.126
800*	230,00	3.402	2.977	2.445	2.126
900*	258,00	3.402	2.977	2.445	2.126
1000*	279,00	3.402	2.977	2.445	2.126

BREITFLANSCHTRÄGER HEB (IPB) S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10034
 Längen auf Anfrage
 Werkzeugeinsatz 2.2 (chemische Analyse) auf Anfrage



Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
100	20,90	2.020	1.767	1.452	1.262
120	27,40	2.020	1.767	1.452	1.262
140	34,50	2.020	1.767	1.452	1.262
160	43,70	2.020	1.767	1.452	1.262
180	52,50	2.020	1.767	1.452	1.262
200	63,00	2.070	1.811	1.488	1.294
220	73,00	2.070	1.811	1.488	1.294
240	85,00	2.120	1.855	1.524	1.325
260	95,00	2.127	1.861	1.529	1.330
280	106,00	2.127	1.861	1.529	1.330
300	120,00	2.127	1.861	1.529	1.330
320	130,00	2.127	1.861	1.529	1.330
340	137,00	2.262	1.979	1.626	1.414
360	146,00	2.262	1.979	1.626	1.414
400	159,00	2.262	1.979	1.626	1.414
450	175,00	2.505	2.192	1.800	1.566
500*	192,00	2.505	2.192	1.800	1.566
550*	204,00	2.505	2.192	1.800	1.566
600*	217,00	2.505	2.192	1.800	1.566
650*	231,00	4.785	2.991	2.136	1.858
700*	247,00	4.785	2.991	2.136	1.858
800*	269,00	4.785	2.991	2.136	1.858
900*	298,00	4.785	2.991	2.136	1.858
1000*	322,00	4.785	2.991	2.136	1.858

BREITFLANSCHTRÄGER HEM (IPBV) S235JRG2

Qualität: S235JRG2 - EN 10025
 Toleranz nach EN 10034
 Längen auf Anfrage
 Werkzeugeinsatz 2.2 (chemische Analyse) auf Anfrage




Abmessung	Gewicht	Preise in €/to			
		0-99 kg	100-399 kg	400-999 kg	ab 1000 kg
mm	kg/lfm				
100	42,80	2.264	1.981	1.628	1.415
120	53,40	2.264	1.981	1.628	1.415
140	64,80	2.264	1.981	1.628	1.415
160	78,10	2.264	1.981	1.628	1.415
180	91,10	2.264	1.981	1.628	1.415
200	106,00	2.318	2.028	1.666	1.449
220	120,00	2.318	2.028	1.666	1.449
240*	161,00	2.380	2.083	1.711	1.488
260*	176,00	2.380	2.083	1.711	1.488
280*	194,00	2.380	2.083	1.711	1.488
300*	244,00	2.380	2.083	1.711	1.488
320*	251,00	2.621	2.293	1.884	1.638
340*	254,00	2.751	2.407	1.977	1.719
360*	256,00	2.751	2.407	1.977	1.719
400*	262,00	2.751	2.407	1.977	1.719
450*	270,00	3.859	3.377	2.774	2.412
500*	277,00	3.859	3.377	2.774	2.412
550*	285,00	3.859	3.377	2.774	2.412
600*	292,00	3.859	3.377	2.774	2.412
650*	300,00	4.675	4.091	3.360	2.922
700*	309,00	4.675	4.091	3.360	2.922
800*	325,00	4.675	4.091	3.360	2.922
900*	341,00	4.675	4.091	3.360	2.922
1000*	358,00	4.675	4.091	3.360	2.922

SCHNITTKOSTEN TRÄGER


Träger rechtwinkelig geschnitten, Toleranz +/- 2 mm
 Euro je geschnittener Stab, gleicher Länge und gleicher Dimension
 Gehrungsschnitte: doppelte Schnittkosten vom 1. Staffelpreis

Dim./Stk	UNP/INP/IPE				HEA/HEB				HEM			
	-9	10-24	ab 25	ab100	-9	10-24	ab 25	ab100	-9	10-24	ab 25	ab100
80	7	5	3	3								
100	7	5	4	3	8	7	5	4	12	10	9	8
120	8	7	5	4	9	7	5	5	12	11	9	8
140	9	7	6	5	10	8	7	6	13	11	10	9
160	11	8	7	6	12	9	8	7	15	13	11	9
180	13	10	9	8	14	11	10	8	17	15	13	11
200	15	12	11	9	16	13	12	10	19	16	15	12
220	15	13	12		17	15	13		21	18	16	
240	16	13	12		19	16	15		22	19	17	
260	17	15	13		21	18	16		24	21	19	
270	17	15	13									
280	17	15	13		22	19	17		25	22	19	
300	18	15	14		23	20	18		27	24	20	
320	19	16	15		24	21	19		28	28	28	
330	19	16	15									
340	20	17	15		25	22	19		29	29	29	
350	20	17	15									
360	21	18	16		27	23	20		31	31	31	
380	22	19	17									
400	24	21	19		27	24	21		32	32	32	
450	27	23	20		29	25	23		34	34	34	
500	28	25	22		32	27	24		36	36	36	
550	31	26	23		34	29	26		38	38	38	
600	33	28	25		37	32	28		42	42	42	
650					42	42	42		48	48	48	
700						48	48		53	53	53	
800					53	53	53		58	58	58	
900					58	58	58		69	69	69	
1000					63	63	63		74	74	74	


SCHNITTSHEMA I-TRÄGER




11




12




13



21



22



23

SCHNITTSCHHEMA U-TRÄGER

